INDEX TO AUTHORS.

A

Amberson, W. R., Mayerson, H. S., and Scott, W. J. The influence of oxygen tension upon metabolic rate in invertebrates, 171

B

Barnard, Leonard. See OLIVER and BARNARD 99, 225

Berggren, Ruth E. L. See COHN and BERGGREN, 45

—. See COHN, BERGGREN, and HENDRY, 81

Bodine, Joseph Hall. Some physiological actions of cyanides, 19

— and **Fink, David E.** A simple micro vessel with electrode for determining the hydrogen ion concentration of small amounts of fluid, 735

Brodie, J. L. See TORREY, RIDDLE, and BRODIE, 449

Brooks, S. C. Conductivity as a measure of the permeability of suspended cells, 349

—. The electrical conductivity of pure protoplasm, 327

—. The mechanism of change in resistance of erythrocytes to hypotonic salt solutions, 587

C

Cohn, Edwin J., and **Berggren, Ruth E. L.** Studies in the physical chemistry of the proteins. III. The relation between the amino acid composition of casein and its capacity to combine with base, 45

Cohn, Edwin J., Berggren, Ruth E. L., and **Hendry, Jessie L.** Studies in the physical chemistry of the proteins. IV. The relation between the composition of zein and its acid and basic properties, 81

Cole, William H. Pulsation of the contractile vacuole of *Paramecium* as affected by temperature, 581

Coulter, Calvin B. Membrane equilibria and the electric charge of red blood cells, 1

Crozier, W. J. On biological oxidations as function of temperature, 189

—. On the critical thermal increment for the locomotion of a diplopod, 123

— and **Federighi, H.** Critical thermal increment for the movement of *Oscillatoria*, 137

— and —. The locomotion of *Limax*. II. Vertical ascension with added loads, 415

— and —. Phototropic circus movements of *Limax* as affected by temperature, 151

— and —. The phototropic mechanism in *Ranatra*, 217

— and —. Suppression of phototropic circus movements of *Limax* by strychnine, 221

— and —. Temperature characteristic for heart rhythm of the silkworm, 565

— and **Libby, R. L.** Temporary abolition of phototropism in *Limax* after feeding, 421

Crozier, W. J., and **Stier, T. B.** Critical increment for opercular breathing rhythm of the goldfish, 699

— and —. Critical thermal increments for rhythmic respiratory movements of insects, 429

— and —. Temperature characteristic for heart beat frequency in *Limax*, 705

— and —. The temperature characteristic for pharyngeal breathing rhythm of the frog, 571

D

Dorcas, M. J. See OSTERHOUT and DORCAS, 633

F

Federighi, H. See CROZIER and FEDERIGHI, 137, 151, 217, 221, 415, 565

Fink, David E. Metabolism during embryonic and metamorphic development of insects, 527

—. See BODINE and FINK, 735

G

Glaser, Otto. Temperature and forward movement of paramecium, 177

Glaser, R. W. Hydrogen ion concentrations in the blood of insects, 599

Gordon, A. See LIPMAN and GORDON, 615

Greenberg, David M., and **Schmidt, Carl L. A.** Studies on the formation and ionization of the compounds of casein with alkali. I. The transport numbers of alkali caseinate solutions, 287

— and —. II. The conductivities of alkali caseinate solutions, 303

— and —. III. The electrochemical behavior of racemic casein, 317

Gustafson, Felix G. Diurnal changes in the acidity of *Bryophyllum calycinum*, 719

H

Harvey, E. Newton. The effects of light on luminous bacteria, 687

—. The inhibition of *Cypridina* luminescence by light, 679

—. Studies on bioluminescence. XVII. Fluorescence and inhibition of luminescence in ctenophores by ultra-violet light, 331

Haywood, Charlotte. The relative importance of pH and carbon dioxide tension in determining the cessation of ciliary movement in acidified sea water, 693

Hecht, Selig. The visual discrimination of intensity and the Weber-Fechner law, 235

Hendry, Jessie L. See COHN, BERGGREN, and HENDRY, 81

Heymans, C., and **Moore, A. R.** Note on the excitation and inhibition of luminescence in *Beroe*, 345

K

Klopp, John W. Observations on the injurious effects of high temperatures on frog skin, 39

Kunitz, M. See NORTHROP and KUNITZ, 25, 729

L

Libby, R. L. See CROZIER and LIBBY, 421

Lillie, Ralph S. Factors affecting transmission and recovery in the passive iron nerve model, 473

Lipman, C. B., and **Gordon, A.** Further studies on new methods in the physiology and pathology of plants, 615

Lipman, C. B., and **Teakle, L. J. H.** Symbiosis between *Chlorella sp.* and *Azotobacter chroococcum* and nitrogen fixation, 509

Logan, G. A. See LUND and LOGAN, 461

Lund, E. J., and **Logan, G. A.** The relation of the stability of protoplasmic films in *Noctiluca* to the duration and intensity of an applied electric potential, 461

M

Mayerson, H. S. See AMBERSON, MAYERSON, and SCOTT, 171

Moore, A. R. See HEYMANS and MOORE, 345

Morrison, Thomas F. Studies on luminous bacteria. II. The influence of temperature on the intensity of the light of luminous bacteria, 741

Mudd, Stuart. Electroendosmosis through mammalian serous membranes. I. The hydrogen ion reversal point with buffers containing polyvalent anions, 389

N

Northrop, John H. The kinetics of the decomposition of peroxide by catalase, 373

—. A test for diffusible ions. II. The ionic nature of pepsin, 603

— and **Kunitz, M.** The combination of salts and proteins. I, 25

— and —. An improved type of microscopic electrocataphoresis cell, 729

du Noüy, P. Lecomte. An interfacial tensiometer for universal use, 625

O

Oliver, Jean, and **Barnard, Leonard.** The effect of valency of cations and anions on negatively and positively charged red blood cells, 225

— and —. The influence of electrolytes on the stability of red blood corpuscle suspensions, 99

Orr, Paul Rudbert. Critical thermal increments for oxygen consumption of an insect, *Drosophila melanogaster*, 731

Osterhout, W. J. V. On the importance of maintaining certain differences between cell sap and external medium, 561

— and **Dorcas, M. J.** Contrasts in the cell sap of Valonias and the problem of flotation, 633

P

Packard, Charles. The effect of light on the permeability of *Paramecium*, 363

Parker, G. H. Carbon dioxide from the nerve cord of the lobster, 671

—. The production of carbon dioxide by nerve, 641

R

Riddle, Matthew C. See TORREY, RIDDLE, and BRODIE, 449

S

Saeger, Albert. The growth of duckweeds in mineral nutrient solutions with and without organic extracts, 517

Schaefer, Arthur A. The number of blood corpuscles in fishes in relation to starvation and seasonal cycles, 341

Schmidt, Carl L. A. See GREENBERG and SCHMIDT, 287, 303, 317

Scott, W. J. See AMBERSON, MAYERSON, and SCOTT, 171

Stier, T. B. See CROZIER and STIER, 429, 571, 699, 705

T

Teakle, L. J. H. See LIPMAN and TEAKLE, 509

Torrey, Harry Beal, Riddle, Matthew C., and **Brodie, J. L.** Thyroxin as a depressant of the division rate of *Paramecium*, 449

W

Webster, Leslie T. The acid agglutination of mixtures of oppositely charged bacterial cells, 513

Wetzel, Norman C. The kinetics of starvation. I, 269

—. II. The loss of weight in pigeons subsisting on water alone, 709

Wyman, Jeffries, Jr. Neuroid transmission in ciliated epithelium, 545

INDEX TO SUBJECTS.

A

Acid(s):
Agglutination of oppositely charged bacterial cells (WEBSTER) 513
Sea water, acidified, effect of hydrogen ion concentration and carbon dioxide tension on ciliary movement (HAYWOOD) 693
Zein, relation of composition (COHN, BERGGREN, and HENDRY) 81

Acidity:
Bryophyllum calycinum, diurnal changes (GUSTAFSON) 719

Alkali:
Caseinate, solution, conductivity (GREENBERG and SCHMIDT) 303
—, —, transport numbers (GREENBERG and SCHMIDT) 287
Casein compounds, formation. I (GREENBERG and SCHMIDT) 287
— —, —. II (GREENBERG and SCHMIDT) 303
— —, —. III (GREENBERG and SCHMIDT) 317
— —, ionization. I (GREENBERG and SCHMIDT) 287
— —, —. II (GREENBERG and SCHMIDT) 303
— —, —. III (GREENBERG and SCHMIDT) 317

Amino acid:
Casein, relation to base-combining capacity (COHN and BERGGREN) 45

Anion:
Polyvalent, hydrogen ion reversal point with buffers containing (MUDD) 389
Valency, effect on negatively charged red blood cells (OLIVER and BARNARD) 225
—, — — positively charged red blood cells (OLIVER and BARNARD) 225

Azotobacter:
chroococcum, symbiosis with *Chlorella*, and nitrogen fixation (LIPMAN and TEAKLE) 509

B

Bacterium:
Cell, oppositely charged, acid agglutination (WEBSTER) 513
Luminous. II (MORRISON) 741
—, effects of light (HARVEY) 687
—, influence of temperature on intensity of light (MORRISON) 741

Base:
Casein, relation of amino acid composition and base-combining capacity (COHN and BERGGREN) 45
Zein, relation of composition (COHN, BERGGREN, and HENDRY) 81

Beroe:
Luminescence, excitation (HEYMANS and MOORE) 345

Beroe—*continued:*
Luminescence, inhibition (HEYMANS and MOORE) 345
Biology:
Oxidation, function of temperature (CROZIER) 189
Blood:
Cell, red. *See* Erythrocyte.
Corpuscle, fish, relation to starvation and seasonal cycles. (SCHAEFER) 341
Insect, hydrogen ion concentration (GLASER) 599
Bryophyllum:
calycinum, acidity, diurnal changes (GUSTAFSON) 719
Buffer:
Polyvalent anions, hydrogen ion reversal point (MUDD) 389

C

Calycinum:
Bryophyllum, acidity, diurnal changes (GUSTAFSON) 719
Carbon dioxide:
Nerve cord, lobster (PARKER) 671
—, production (PARKER) 641
Tension, and hydrogen ion concentration, effect on ciliary movement in acidified sea water (HAYWOOD) 693
Casein:
Amino acid, relation to base-combining capacity (COHN and BERGGREN) 45
Racemic, electrochemical behavior (GREENBERG and SCHMIDT) 317
Caseinate:
Alkali, solution, conductivity (GREENBERG and SCHMIDT) 303
Caseinate—*continued:*
Alkali, solution, transport numbers (GREENBERG and SCHMIDT) 287
Casein compounds:
Alkali, formation. I (GREENBERG and SCHMIDT) 287
—, —. II (GREENBERG and SCHMIDT) 303
—, —. III (GREENBERG and SCHMIDT) 317
—, ionization. I (GREENBERG and SCHMIDT) 287
—, —. II (GREENBERG and SCHMIDT) 303
—, —. III (GREENBERG and SCHMIDT) 317
Catalase:
Peroxide, kinetics of decomposition by (NORTHROP) 373
Cataphoresis:
Electric, microscopic, cell (NORTHROP and KUNITZ) 729
Cation:
Valency, effect on negatively charged red blood cells (OLIVER and BARNARD) 225
—, — — positively charged red blood cells (OLIVER and BARNARD) 225
Cell:
Bacterial, oppositely charged, acid agglutination (WEBSTER) 513
Blood, red. *See* Erythrocyte.
Electrocataphoresis, microscopic (NORTHROP and KUNITZ) 729
Suspended, conductivity as measure of permeability (BROOKS) 349
Cell sap:
Medium, external, importance of maintaining differences (OSTERHOUT) 561

Cell sap—*continued:*
Valonia, relation to flotation (OSTERHOUT and DORCAS) 633
Chlorella:
Symbiosis with *Azotobacter chroococcum*, and nitrogen fixation (LIPMAN and TEAKLE) 509
Chroococcum:
Azotobacter, symbiosis with *Chlorella*, and nitrogen fixation (LIPMAN and TEAKLE) 509
Cilium:
Epithelium, ciliated, neuroid transmission (WYMAN) 545
Movement, in acidified sea water, effect of hydrogen ion concentration and carbon dioxide tension (HAYWOOD) 693
Conductivity:
Alkali caseinate solutions (GREENBERG and SCHMIDT) 303
Cell, suspended, measure of permeability (BROOKS) 349
Electrical, of pure protoplasm (BROOKS) 327
Corpuscle:
Blood, fish, relation to starvation and seasonal cycles (SCHAEFER) 341
—, red. See Erythrocyte.
Ctenophore:
Fluorescence, in ultra-violet light (HARVEY) 331
Luminescence, inhibition by ultra-violet light (HARVEY) 331
Cyanide(s):
Physiological actions (BODINE) 19
Cypridina:
Luminescence, inhibition by light (HARVEY) 679

D

Diffusion:
Ions, test. II (NORTHROP) 603
Diplopod:
Locomotion, critical thermal increment (CROZIER) 123
Drosophila:
melanogaster, oxygen consumption, critical thermal increments (ORR) 731
Duckweed:
Growth in mineral nutrient solutions with organic extracts (SAEGER) 517
— — — — — — without organic extracts (SAEGER) 517

E

Electric:
Cataphoresis, microscopic cell (NORTHROP and KUNITZ) 729
Charge, of red blood cells, and membrane equilibria (COULTER) 1
Conductivity, of pure protoplasm (BROOKS) 327
Endosmosis, of mammalian serous membrane. I (MUDD) 389
Potential, duration and intensity, relation of stability of protoplasmic films in *Noctiluca* (LUND and LOGAN) 461
Electrolyte:
Erythrocyte suspension, stability, influence on, of (OLIVER and BARNARD) 99
Embryo:
Insect, metabolism (FINK) 527

Endosmosis:
Electric, of mammalian serous membrane. I (MUDD) 389
Epithelium:
Ciliated, neuroid transmission (WYMAN) 545
Equilibrium:
Membrane, and electric charge, of red blood cells (COULTER) 1
Erythrocyte:
Electric charge, and membrane equilibria (COULTER) 1
Negatively charged, effect of valency of anions (OLIVER and BARNARD) 225
— —, — — valency of cations (OLIVER and BARNARD) 225
Positively charged, effect of valency of anions (OLIVER and BARNARD) 225
— —, — — valency of cations (OLIVER and BARNARD) 225
Resistance to hypotonic salt solutions, mechanism of change (BROOKS) 587
Suspension, influence of electrolytes on stability (OLIVER and BARNARD) 99

F

Fasting:
Fish, blood corpuscles, relation to seasonal cycles (SCHAEFER) 341
Kinetics. I (WETZEL) 269
—. II (WETZEL) 709
Fish:
Blood corpuscles, relation to starvation and seasonal cycles (SCHAEFER) 341
Breathing rhythm, opercular, of goldfish, critical increment (CROZIER and STIER) 699
Flotation:
Valonia, relation to cell sap (OSTERHOUT and DORCAS) 633
Fluorescence:
Ctenophore, in ultra-violet light (HARVEY) 331
Frog:
Pharyngeal breathing rhythm, temperature characteristic (CROZIER and STIER) 571
Skin, injurious effects of high temperatures (KLOPP) 39

G

Goldfish:
Breathing rhythm, opercular, critical increment (CROZIER and STIER) 699
Growth:
Duckweed, in mineral nutrient solutions with organic extracts (SAEGER) 517
—, — — — — without organic extracts (SAEGER) 517

H

Heart:
Limax, temperature characteristic for frequency of beat (CROZIER and STIER) 705
Silkworm, temperature characteristic for rhythm (CROZIER and FEDERIGHI) 565
Hydrogen:
Ion concentration and carbon dioxide tension, effect on ciliary movement in acidified sea water (HAYWOOD) 693
— —, electrometric determination in small amounts of fluid (BODINE and FINK) 735

Hydrogen—*continued:*
Ion concentration in blood of insects (GLASER) 599
—, reversal point with buffers containing polyvalent anions (MUDD) 389
Hypotonicity:
Salt solution, mechanism of change in resistance to erythrocytes (BROOKS) 587

I

Insect:
Blood, hydrogen ion concentration (GLASER) 599
Metabolism, embryonic (FINK) 527
—, metamorphic (FINK) 527
Oxygen consumption, critical thermal increments in *Drosophila melanogaster* (ORR) 731
Respiration, critical thermal increments for rhythmic movements (CROZIER and STIER) 429
Intensity:
Discrimination, visual, and Weber-Fechner law (HECHT) 235
Light, of luminous bacteria, influence of temperature (MORRISON) 741
Potential, electric, relation of stability of protoplasmic films in *Noctiluca* to duration (LUND and LOGAN) 461
Invertebrate:
Metabolism, rate, influence of oxygen tension (AMBERSON, MAYERSON, and SCOTT) 171
Ion:
Casein compounds formed with alkali, ionization. I (GREENBERG and SCHMIDT) 287
— — — — alkali, ionization. II (GREENBERG and SCHMIDT) 303
— — — — alkali, ionization. III (GREENBERG and SCHMIDT) 317
Diffusible, test. II (NORTHROP) 603
Hydrogen, concentration, and carbon dioxide tension, effect on ciliary movement in acidified sea water (HAYWOOD) 693
—, —, electrometric determination in small amounts of fluid (BODINE and FINK) 735
—, — in blood of insects (GLASER) 599
—, reversal point with buffers containing polyvalent anions (MUDD) 389
Pepsin, ionic nature (NORTHROP) 603
Iron:
Nerve model, transmission and recovery (LILLIE) 473

K

Kinetics:
Fasting. I (WETZEL) 269
—. II (WETZEL) 709
Peroxide, decomposition by catalase (NORTHROP) 373

L

Light:
Bacterium, luminous, effects on, of (HARVEY) 687

Light—*continued:*
Bacterium, luminous, influence of temperature on intensity (MORRISON) 741
Cypridina, luminescence inhibition by (HARVEY) 679
Paramecium, permeability, effect on, of (PACKARD) 363
Ultra-violet, effect on fluorescence of ctenophores (HARVEY) 331
—, inhibition of luminescence of ctenophores (HARVEY) 331
Limax:
Heart beat frequency, temperature characteristic (CROZIER and STIER) 705
Locomotion. II (CROZIER and FEDERIGHI) 415
Phototropic circus movements, effect of temperature (CROZIER and FEDERIGHI) 151
— — —, suppression by strychnine (CROZIER and FEDERIGHI) 221
Phototropism, temporary abolition after feeding (CROZIER and LIBBY) 421
Lobster:
Nerve cord, carbon dioxide discharge (PARKER) 671
Locomotion:
Diplopod, critical thermal increment (CROZIER) 123
Limax. II (CROZIER and FEDERIGHI) 415
Luminescence:
XVII (HARVEY) 331
Bacterium, luminous. II (MORRISON) 741
—, —, effects of light (HARVEY) 687
Luminescence—*continued:*
Bacterium, luminous, influence of temperature on intensity of light (MORRISON) 741
Beroe, excitation (HEYMANS and MOORE) 345
—, inhibition (HEYMANS and MOORE) 345
Ctenophore, inhibition by ultra-violet light (HARVEY) 331
Cypridina, inhibition by light (HARVEY) 679

M

Melanogaster:
Drosophila, oxygen consumption, critical thermal increments (ORR) 731
Membrane:
Equilibrium, and electric charge of red blood cells (COULTER) 1
Serous, mammalian, electro-endosmosis. I (MUDD) 389
Metabolism:
Insect, during embryonic development (FINK) 527
—, — metamorphic development (FINK) 527
Invertebrate, rate, influence of oxygen tension (AMBERSON, MAYERSON, and SCOTT) 171
Metamorphosis:
Insect, metabolism (FINK) 527
Movement:
Ciliary, effect of hydrogen ion concentration and carbon dioxide tension in acidified sea water (HAYWOOD) 693

Movement—*continued:*
Circus, phototropic, of *Limax*, effect of temperature (CROZIER and FEDERIGHI) 151
—, —, — —, suppression by strychnine (CROZIER and FEDERIGHI) 221
Insect, critical thermal increments for rhythmic respiration (CROZIER and STIER) 429
Oscillatoria, critical thermal increment (CROZIER and FEDERIGHI) 137
Paramecium, effect of temperature (GLASER) 177

N

Nerve:
Carbon dioxide, production by (PARKER) 641
Epithelium, ciliated, neuroid transmission (WYMAN) 545
Model, iron, transmission and recovery (LILLIE) 473
Nerve cord:
Lobster, carbon dioxide discharge (PARKER) 671
Nitrogen:
Fixation, in symbiosis between *Chlorella* and *Azotobacter chroococcum* (LIPMAN and TEAKLE) 509
Noctiluca:
Protoplasm, relation of stability of films to duration and intensity of applied electric potential (LUND and LOGAN) 461

O

Operculum:
Goldfish, opercular breathing rhythm, critical increment (CROZIER and STIER) 699
Organic:
Extract, in mineral nutrient solutions, effect on growth of duckweeds (SAEGER) 517
Oscillatoria:
Movement, critical thermal increment (CROZIER and FEDERIGHI) 137
Oxidation:
Biological, function of temperature (CROZIER) 189
Oxygen:
Consumption, critical thermal increments in *Drosophila melanogaster* (ORR) 731
Tension, influence on metabolic rate of invertebrates (AMBERSON, MAYERSON, and SCOTT) 171

P

Paramecium:
Contractile vacuole, pulsation affected by temperature (COLE) 581
Division rate depressed by thyroxin (TORREY, RIDDLE, and BRODIE) 449
Movement, forward, effect of temperature (GLASER) 177
Permeability, effect of light (PACKARD) 363
Pathology:
Plant (LIPMAN and GORDON) 615
Pepsin:
Ionic nature (NORTHROP) 603
Permeability:
Cell, suspended, measured by conductivity (BROOKS) 349
Paramecium, effect of light (PACKARD) 363

Peroxide:
Decomposition by catalase, kinetics (NORTHROP) 373
Pharynx:
Frog, breathing rhythm, temperature characteristic (CROZIER and STIER) 571
Phototropism:
Limax, temporary abolition after feeding (CROZIER and LIBBY) 421
Movement, circus, of *Limax*, effect of temperature (CROZIER and FEDERIGHI) 151
—, —, — —, suppression by strychnine (CROZIER and FEDERIGHI) 221
Ranatra, mechanism (CROZIER and FEDERIGHI) 217
Physiology:
Cyanides, actions (BODINE) 19
Plant (LIPMAN and GORDON) 615
Pigeon:
Weight, loss, subsisting on water (WETZEL) 709
Plant:
Pathology (LIPMAN and GORDON) 615
Physiology (LIPMAN and GORDON) 615
Potential:
Electric, applied to protoplasmic films of *Noctiluca* (LUND and LOGAN) 461
Protein(s):
Chemistry, physical. III (COHN and BERGGREN) 45
—, —. IV (COHN, BERGGREN, and HENDRY) 81
Salts, combination with. I (NORTHROP and KUNITZ) 25
Protoplasm:
Conductivity, electrical (BROOKS) 327
Noctiluca, relation of stability of films to duration and intensity of applied electric potential (LUND and LOGAN) 461

R

Ranatra:
Phototropic mechanism (CROZIER and FEDERIGHI) 217
Respiration:
Frog, pharyngeal breathing rhythm, temperature characteristic (CROZIER and STIER) 571
Goldfish, opercular breathing rhythm, critical increment (CROZIER and STIER) 699
Insect, critical thermal increments for rhythmic movements (CROZIER and STIER) 429

S

Salt(s):
Proteins, combinations with. I (NORTHROP and KUNITZ) 25
Solution, hypotonic, mechanism of change in resistance of erythrocytes (BROOKS) 587
Sea water:
Acidified, effect of hydrogen ion concentration and carbon dioxide tension on ciliary movement (HAYWOOD) 693
Serous membrane:
See Membrane.

Silkworm:
Heart rhythm, temperature characteristic (CROZIER and FEDERIGHI) 565
Skin:
Frog, injurious effects of high temperatures (KLOPP) 39
Strychnine:
Limax, phototropic circus movements, suppression (CROZIER and FEDERIGHI) 221
Suspension:
Red blood corpuscle, influence of electrolytes on stability (OLIVER and BARNARD) 99
Symbiosis:
Chlorella and *Azotobacter chroococcum*, and nitrogen fixation (LIPMAN and TEAKLE) 509

T

Temperature:
Bacterium, luminous, intensity of light, influence on, of (MORRISON) 741
Diplopod, locomotion, critical thermal increment (CROZIER) 123
Drosophila melanogaster, oxygen consumption, critical thermal increments (ORR) 731
Frog, pharyngeal breathing, temperature characteristic (CROZIER and STIER) 571
Insect, rhythmic respiratory movements, critical thermal increments (CROZIER and STIER) 429
Limax, heart beat frequency, temperature characteristic (CROZIER and STIER) 705
Temperature—*continued:*
Limax, phototropic circus movements, effect on, of (CROZIER and FEDERIGHI) 151
Oscillatoria, critical thermal increment (CROZIER and FEDERIGHI) 137
Oxidation, biological, function of (CROZIER) 189
Paramecium, forward movement, effect on, of (GLASER) 177
—, pulsation of contractile vacuole, effect on, of (COLE) 581
Silkworm, heart rhythm, temperature characteristic (CROZIER and FEDERIGHI) 565
Skin, frog, injurious effects of high (KLOPP) 39
Tensiometer:
Interfacial (DU NOÜY) 625
Tension:
Carbon dioxide, and hydrogen ion concentration, effect on ciliary movement in acidified sea water (HAYWOOD) 693
Oxygen, influence on metabolic rate of invertebrates (AMBERSON, MAYERSON, and SCOTT) 171
Thyroxin:
Paramecium, division rate depressant (TORREY, RIDDLE, and BRODIE) 449

U

Ultra-violet:
Light, effect on fluorescence in ctenophores (HARVEY) 331
—, inhibition of luminescence in ctenophores (HARVEY) 331

V

Vacuole:
Paramecium, contractile, effect of temperature on pulsation (COLE) 581
Valency:
Anion, effect on negatively charged red blood cells (OLIVER and BARNARD) 225
—, — — positively charged red blood cells (OLIVER and BARNARD) 225
Cation, effect on negatively charged red blood cells (OLIVER and BARNARD) 225
—, — — positively charged red blood cells (OLIVER and BARNARD) 225
Valonia:
Cell sap, relation to flotation (OSTERHOUT and DORCAS) 633
Vision:
Intensity discrimination and Weber-Fechner law (HECHT) 235

W

Water:
Pigeon, weight, loss when subsisting on (WETZEL) 709
Weber-Fechner:
Law, and visual discrimination of intensity (HECHT) 235
Weight:
Pigeon, loss, subsisting on water (WETZEL) 709

Z

Zein:
Acid properties, relation of composition (COHN, BERGGREN, and HENDRY) 81
Basic properties, relation of composition (COHN, BERGGREN, and HENDRY) 81